



CONFERENCE DIGEST

JOINT
INTERNATIONAL SYMPOSIUM
ON
OPTICAL MEMORY
AND
OPTICAL DATA STORAGE

1 9 9 3

*
JULY 5-9, 1993
HYATT REGENCY MAUI
MAUI, HAWAII

Sponsored By

- IEEE Lasers and Electro-Optics Society (IEEE/LEOS)
- Optical Society of America (OSA)
- The International Society for Optical Engineering (SPIE)
- The Japan Society of Applied Physics (JSAP)

In Cooperation with

- The Institute of Electronics, Information and Communication Engineers (IEICE)
- The Magnetics Society of Japan (MSJ)
- Optoelectronic Industry and Technology Development Association (OITDA)



IEEE CATALOG #93TH0548-8
Library of Congress #93-77779

TABLE OF CONTENTS

ISOM/ODS'93 Committee.....	viii
Program at a Glance	ix

TUESDAY, JULY 6, 1993

K:	KEYNOTE
K1	Evolution of Optical Disk Era into the 21st Century , S. Miyaoka, <i>Sony Corporation, Tokyo, Japan</i>3
K2	Stimulating Demand for Optical Storage , R.C. Freeman, Jr., <i>Freeman Associates, Inc., Santa Barbara, CA</i>5
TU1:	FUTURE TECHNOLOGY
Tu1.1	Progress In Optical Recording at 428nm , J. Hurst, <i>IBM Almaden Research Center, San Jose, CA</i>6
Tu1.2	Progress In Blue-Green Laser Diodes , H. Cheng, <i>SRL Photonics, St. Paul, MN</i>7
Tu1.3	High Density Magneto-Optical Recording with a SHG Green Laser , I. Ichimura, Y. Sabi, Y. Takeshita, A. Fukumoto, M. Kaneko, H. Owa, <i>Sony Corporation, Tokyo, Japan</i>8
Tu1.4	High Density Video Disc Using Superresolution and Green Laser , S. Ichiiura, Y. Tsuchiya, H. Terasaki, O. Ota, <i>SANYO Electric Co., Ltd, Gifu, Japan</i>10
TU2:	COMPONENTS I
Tu2.1	Compact Optical Light Paths , W. Ophey, <i>Philips Research Laboratories, Eindhoven, The Netherlands</i>12
Tu 2.2	Integrated-Optic Focus Spot Intensity Modulator for Disc Head , S. Ura, T. Kimura, M. Oh*, T. Suhara, H. Nishihara, <i>Osaka University, Osaka, Japan</i> , *on sabbatical leave from KAIST, Korea14
Tu2.3	Magneto-Optic Head Using Substrate-Mode Grating Pairs for Polarization and Leaky Beamsplitting Y. Huang, Y. Chen, <i>National Chiao Tung University, Taiwan, ROC</i>16
Tu 2.4	Thin Optical Head with Flip-Chip Bonded Module for CD-ROM Drives , T. Nagano, E. Ueda*, S. Onayama*, R. Katayama, H. Hamada*, Y. Ono, <i>Opto-Electronics Research Laboratories, NEC Corporation, Kawasaki, Japan</i> , *Visual Media Development Divison, NEC Corporation, Kawasaki, Japan18
TU3:	PHYSICS OF MO RECORDING
Tu3.1	Polarization Issues in Magneto-Optic Media and Head , M. Mansuripur, <i>The University of Arizona, Tucson, Arizona</i>20
Tu3.2	Measurement of Domain Wall Mobility in Magneto-Optic Media , M. Du, M. Schultz, M. Kryder, <i>Carnegie Mellon University, Pittsburgh, PA</i>22
Tu3.3	Scanning Laser Microscopy of Magneto-Optic Storage Media , C. Wright, W. Clegg, A. Boudjemline, N. Heyes, <i>University of Manchester, Manchester, England</i>24
Tu3.4	Diffraction Pattern From Magneto-Optical Edges , M. Yamamoto, H. Hoshi, E. Yamaguchi, S. Matsumura, <i>Canon, Inc., Kanagawa, Japan</i>26
Tu3.5	Read Laser Power Effects in Magneto-Optic Data Recording , H. Birecki, <i>Hewlett-Packard Laboratories, Palo Alto, CA</i>28

WEDNESDAY, JULY 7, 1993

W1:	SYSTEMS AND APPLICATIONS I	
W1.1	3.5" MO for Personal Systems , K. Utsumi, K. Ogawa, M. Yoshioka, <i>Fujitsu Labs., Ltd., Kawasaki, Japan</i>	33
W1.2	Optical Storage - The Customer's Perspective , J. Szlendak, <i>Hewlett-Packard Company, Greeley, CO</i>	34
W1.3	Optical Recording System in MiniDisc , T. Yoshida, <i>Sony Corporation, Tokyo, Japan</i>	35

TABLE OF CONTENTS

W2:	SYSTEMS AND APPLICATIONS II	
W2.1	CD-I, the Individualized Execution of Programs/Titles and Storage Requirements, F.H. Ulrich Frank, <i>Philips Interactive Media Systems, Eindhoven, The Netherlands</i>	37
W2.2	Applications for Optical Storage, C. Green, <i>IBM US Marketing & Services, Tucson, Arizona</i>	39
W2.3	Video-on-Demand System Architecture using an Optical Mass Storage System, T. Mori, K. Nishimura, Y. Ishibashi, H. Nakano, <i>NTT Human Interface Laboratories, Tokyo, Japan</i>	41
W2.4	Cached Magneto-Optic Storage, A. Hospodor, <i>Institute for Information Storage Tech., Santa Clara University, CA</i>	43

THURSDAY, JULY 8, 1993

TH1: DRIVE TECHNOLOGY I

Th1.1	2.5 Inch Flat-Type Phase-Change Optical Disk Drive, Y. Sato, N. Tsuboi, H. Minemura, T. Sugita, T. Fushimi, S. Yasukawa, H. Andoh, Y. Tsunoda, <i>Hitachi Research Laboratory, Hitachi, Ltd, Ibaraki-ken, Japan</i> , F. Kugiyama, <i>Central Research Laboratory, Hitachi, Ltd., Tokyo, Japan</i>	47
Th1.2	Advanced Direct Seeking System for 5.25" Magneto-Optical Disk Drive, M. Suzuki, H. Tanaka, M. Miura, Y. Suzuki, <i>Image & Media System Laboratory, Hitachi Ltd.</i> , M. Mori, <i>Hitachi Image & Information System Ltd., Yokohama, Japan</i> , M. Takasago, Y. Tomono, <i>Data Storage & Retrieval Systems Division, Hitachi Ltd., Odawara, Japan</i>	49
Th1.3	Multi-beam Read-Verifying Optical Head for Parallel Recording, A. Watabe, T. Tanabe, S. Murata, K. Katoh, <i>NTT Interdisciplinary Research Laboratories, Tokyo, Japan</i>	51
Th1.4	Feasibility Study on High Data Transfer Rate of 300 Mbit/s with 8-beam Laser Diode Array R. Arai, M. Mizukami, T. Tanabe, K. Kato, T. Yoshizawa, H. Yamazaki, S. Murata, Y. Tanaka, I. Sato, <i>NTT Interdisciplinary Research Laboratories, Tokyo, Japan</i>	53

TH2: RECORDING TECHNOLOGY I

Th2.1	High Density Optical Disk System Using Variable Five Modulation and SHG Green Laser N. Eguchi*, Y. Akiyama**, * <i>Kubota Opto-Electronics Laboratory, Sony Corporation</i> , ** <i>Opto-Electronics Research Department, Sony Corporation, Tokyo, Japan</i>	55
Th2.2	Improvement of Track Density by Land and Groove Recording on Phase Change Optical Disk N. Miyagawa, Y. Goto, *E. Ohno, *K. Nishiuchi , *N. Akahira, <i>Audio and Video Research Laboratory, Matsushita Electric Industrial Co., LTD, Osaka, Japan</i> , * <i>Optical Devices Research Laboratory, Matsushita Electric Industrial Co., LTD, Osaka, Japan</i>	57
Th2.3	Read Channel and Format for High Density Magneto-Optical Disk System, T. Maeda, H. Tuchinaga, H. Ide, F. Kirino, T. Toda, F. Kugiyama, M. Ojima, <i>Hitachi, Ltd., Tokyo, Japan</i> , S. Mita, K. Shigematsu, <i>Hitachi Ltd., Kanagawa, Japan</i>	59
Th2.4	Write Control Method for High Density Magneto-Optical Disk System, H. Ide, T. Maeda, F. Kirino, T. Toda, <i>Hitachi Ltd., Tokyo, Japan</i> , S. Mita, K. Shigematsu, <i>Hitachi Ltd., Kanagawa, Japan</i>	61

TH3: MEDIA

Th3.1	Future Generation MO Media from a Manufacturing Point of View, N. Ohta, <i>Hitachi Maxell Ltd., Ibaraki, Japan</i>	63
Th3.2	Premastered Optical Disk by Superresolution, K. Yasuda, M. Ono, A. Fukumoto, M. Kaneko, <i>Sony Corporation, Tokyo, Japan</i>	65
Th3.3	Thin Injection Molded Substrate for High Density Recording Phase Change Rewritable Optical Disk T. Ohta, K. Inoue, T. Ishida*, Y. Gotoh*, I. Satoh*, <i>Optical Devices Research Laboratory, *Information Equipment Research Laboratory*, Matsushita Electric Co., Ltd., Osaka, Japan</i>	67
Th3.4	The High Density Recording Characteristics of a 90mm Phase Change Optical Disk S. Fujimoto, K. Ikeda, T. Taguchi, H. Hasegawa, H. Kobori, H. Satoh, T. Sugaya, T. Kobayashi, K. Suzuki, <i>Toshiba Corp., Kawasaki, Japan</i>	69
Th3.5	Improvement in Jitter Characteristics in Mark Edge Recording for Phase Change Media S. Ohkubo, M. Okada, M. Murahata, T. Ide, T. Iwanaga, <i>NEC Corporation, Kanagawa, Japan</i>	71

TABLE OF CONTENTS

TH4:	HOLOGRAPHIC STORAGE
Th4.1	Progress in Photorefractive Holographic Storage , C. Alves, P. Aing, G. Pauliat, G. Roosen, <i>Institut d'Optique, Unité de Recherche, Orsay cedex, France</i> 73
Th4.2	Large-scale Holographic Memory: Experiment Results , G. Burr, <i>California Institute of Technology, Pasadena, CA</i> , F. Mok, <i>Northrop ESD, Hawthorne, CA</i> , D. Psaltis, <i>California Institute of Technology, Pasadena, CA</i> 75
Th4.3	Motionless-head Parallel Readout Optical Disk Prototype System , P. Marchand, A. Krishnamoorthy, P. Harvey, S. Esener, <i>University of California, San Diego, LaJolla, CA</i> 77
Th4.4	3-D Holographic Disks , H. Li, K. Curtis, Y. Qiao, D. Psaltis, <i>California Institute of Technology, Pasadena, CA</i> 79
PR:	POSTER SESSION
P1	A Near-field Scanning Optical Microscope for Analysis of Magneto-optic Media , F. Froehlich, T. Milster, <i>University of Arizona, Tucson, AZ</i> 83
P2	Fidelity and Throughput Limitations in Page-Oriented Volume Holographic Optical Data Storage , P. Asthana, <i>IBM Corporation, Tucson, AZ</i> , G. Nordin, <i>University of Alabama in Huntsville, Huntsville, AL</i> 85
P3	Latest Developments of Components for an Integrated Magneto-Optical Head , V. Lapras, P. Labeye, J. Albertini, C. Louis, <i>LETI (CEA-Technologies Avancées), Cedex, France</i> 87
P4	Optical Data Storage Using Persistent Spectral Hole Burning , E. Maniloff, S. Altner, S. Bernet, A. Renn, U. Wild, <i>Swiss Federal Institute of Technology, Zurich, Switzerland</i> 89
P5	Rapid Access Method for Optical Disk Drive Using Feedforward Brake Pulse , M. Ogawa, Y. Nakajima, K. Koyanagi, T. Furukawa, <i>Mitsubishi Electric Corporation, Hyogo, Japan</i> 91
P6	High Speed Access Mechanism for 90mm 1" Height Optical Disk Drive , T. Takizawa, M. Shinoda, K. Wakabayashi, K. Takamine, Y. Ikawa, I. Satoh, <i>Matsushita Electric Industrial Co., Ltd., Osaka, Japan</i> 93
P7	Future Trends In Frequency-Selective Optical Memories , R. Ao, D. Haarer, <i>University of Bayreuth, Bayreuth F.R. Germany</i> 95
P8	Recording Characteristics and Reliability of Novel Writable-CD Using a Au-Sn Alloy Single Layer , R. Tamura, K. Hiratsuka, N. Ohta, <i>Hitachi Maxell Ltd., Ibaraki, Japan</i> 97
P9	Multirate Sampling Digital Servo of an Optical Disk Drive , T. Semba, <i>IBM Tokyo Research Laboratory, Tokyo, Japan</i> 99
P10	Sb Induced Stable Cluster Structures of Ge-Sb-Te Phase Change Optical Memory Materials , M. Okuda, T. Matsushita*, A. Suzuki*, <i>Department of Electronics, University of Osaka Prefecture, Osaka, Japan</i> , * <i>Department of Electronics, Osaka Sangyo University, Osaka, Japan</i> 101
P11	Holographic Optical Memory Architectures Based on Switchable Holograms , L. Domash, A. Nelson, C. Gozewski, <i>Foster-Miller, Inc., Waltham, MA</i> 102
P12	The PoIncaré Sphere Description of Magneto-Optical Read Out , B. Bell, <i>Most Manufacturing Inc., Monument, CO</i> 104
P13	Edge Shift Characteristics of a Magneto-optical Edge Detection Signal , E. Yamaguchi, M. Yamamoto, H. Hoshi, S. Matsumura, <i>Canon Inc., Kanagawa, Japan</i> 106
P14	Magnetic Properties and R/W Characteristics of Exchange-Coupled Double-Layered MO Media Using GdFeCo/TbFeTi Film , Y. Murakami, T. Hasegawa, N. Morita, E. Fukami, M. Itoh, <i>NEC Corporation, Tokyo, Japan</i> 108
P15	A Repetitive Track Seek Algorithm for Optical Disk Drives , M. Akiyama, J. Ishikawa, T. Tsujisawa, H. Inada, <i>NEC Corp., Kanagawa, Japan</i> 110
P16	Volume Holographic Data Storage In Photo-Organic Media , D. Brady, <i>University of Illinois at Urbana-Champaign, Urbana, IL</i> 112
P17	Pre-recorded Signal Characteristics of High Density Optical Disks , M. Kubo, S. Harada, H. Takeshima, T. Kobayashi, T. Ohmori, Y. Kobayashi, <i>Mitsubishi Kasei Corporation, Yokohama, Japan</i> 114
P18	Optimized Disk Structure and Ge-Te-Sb Composition for Overwritable Phase Change CD , M. Terada, T. Okamura, K. Furuya, I. Morimoto, M. Nakao, <i>Asahi Chemical Industry Co., Ltd., Shizuoka-ken, Japan</i> 116

TABLE OF CONTENTS

P19	Response Properties of a Liquid Crystal Microlens and Its Application to an Optical Head M. Ishigame, H. Goto, <i>Department of Information Technology, Akita University, Akita, Japan</i> , T. Nose, S. Sato, <i>Department of Electronic Engineering, Akita University, Akita, Japan</i>	118
P20	CD-R Interchangeability Test Report , A. Inoue, <i>Pioneer Electric Corp., Saitama, Japan</i> , J. Kablau, J. Heemskerk, <i>Philips Consumer Elec. B.V., Eindhoven, The Netherlands</i> , H. Ogawa, H. Yamauchi, <i>Sony Corp., Kanagawa, Japan</i>	120
P21	Recording and Erasing Characteristics at a Wavelength of 680nm for a Phase Change Disk Designed for 830nm Wavelength, K. Inoue, T. Ohta, T. Ishida*, Y. Gotoh*, I. Satoh*, <i>Optical Devices Laboratory, *Information Equipment Research Laboratory, Matsushita Electric Industrial Co., Ltd., Osaka, Japan</i>	122
P22	Effects of a Shading Band in the Data Path of an Optical Drive , T. Milster, M. Wang, <i>University of Arizona, Tucson, AZ</i> , W. Li, <i>Shanghai Institute of Metallurgy, Shanghai, China</i>	124
P23	Thermodynamic Simulation of Magnetic Field Modulation Methods for Pulsed Laser Irradiation In Magneto-optical Disks , S. Yonezawa, M. Takahashi, <i>Hitachi, Ltd., Tokyo, Japan</i>	126
P24	The Write Laser Power Variation Contribution to Write Noise In MO Media , M. Madison, <i>IBM Corporation, San Jose, CA</i>	128
P25	In-Ag-Te-Sb Phase Change Recording Media at CD Linear Velocity , T. Handa, J. Tominaga, S. Haratani, S. Takayama, <i>TDK R&D Center, Nagano, Japan</i>	130
P26	Intersymbol Interference Characterization and Equalization for High-Density Optical Storage M. Liu, <i>University of Arizona, Tucson, AZ</i> , S. Gupta, <i>University of Texas, Austin, TX</i> , B. Tehranchi, <i>University of Arizona, Tucson, AZ</i>	132
P27	Modeling Thermal Diffusion of Scanned and Focused Laser Power on Direct Overwrite Magneto- Optical Disk , J. Saito, K. Morita, S. Kurita, M. Doi, Y. Aoki, H. Akasaka, <i>Nikon Corporation, Yokohama, Japan</i>	134
P28	Write-once Optical Disk Using Ge-Sb-Te/Bi-Te Bilayer Film for Mark-edge Recording M. Matsubara, H. Ohkawa, T. Yoshimaru, S. Koyahara*, <i>Toshiba Corporation, Kanagawa, Japan</i> , * <i>Toshiba Intelligent Technology Corporation, Kanagawa, Japan</i>	136
P29	Durability of Writable CD Media , D. Stinson, F. Amell, <i>Eastman Kodak Company, Rochester, NY</i>	138
P30	High Density Phase-change Optical Disk System Having Write and Read Compatibility with 90mm MO Disk , M. Ichinose, T. Ishida, U. Takagi, M. Itoh, S. Ohara, I. Satoh, <i>Information and Communications Research Center, Matsushita Electric Industrial Co., Ltd., Osaka, Japan</i> , Y. Okazaki, R. Imanaka, <i>Disk System Division, Matsushita Electric Industrial Co., Ltd, Osaka, Japan</i>	140
P31	Optical Head with Annular Phase-shifting Apodizer , H. Ando, T. Yokota, K. Tanoue, <i>Toshiba Corp., Kawasaki, Japan</i>	142
P32	Completely Erasable Phase Change Optical Disk II-Application of Ag-In-Sb-Te Mixed-phased System for CD-rewritable Compatible with CD1X and CD2X- , H. Iwasaki, M. Harigaya, O. Nonoyama, Y. Kageyama, M. Takahashi, K. Yamada, H. Deguchi, Y. Ide, <i>Ricoh Company Ltd., Kanagawa, Japan</i>	144
P33	Adaptive Head Positioning Using Multiple Beams , M. Mizukami, T. Yoshizawa, I. Sato, <i>NTT Interdisciplinary Laboratories, Tokyo, Japan</i>	146
P34	High Density PWM Recording and Rewritable Capability in the GeSbTe Phase Change System by Using Visual Laser Beam at Lower Linear Velocity , K. Uchino, K. Takada, T. Ohno, H. Yoshida, Y. Kobayashi, <i>Mitsubishi Kasei Corporation, Yokohama, Japan</i>	148
P35	Tolerance Study of Pulse Erasure in a High Density Magneto-optic Disk Drive , W. Wang, <i>Literal Corporation, Colorado Springs, CO</i> , R. Kwor, <i>University of Colorado at Colorado Springs, Colorado Springs, CO</i>	150

FRIDAY, JULY 9, 1993

F1:	DRIVE TECHNOLOGY II	
F1.1	Data Storage Using Scanning Probe Microscopes , D. Rugar, <i>IBM Almaden Research Center, San Jose, CA</i>	155
F1.2	1" High 3.5" MO Drive , K. Ogawa, <i>Optical Disk System Division, Kawasaki, Japan</i>	156

TABLE OF CONTENTS

F1.3	A Complete Study of Differential Wax-wane Focus Servo Technique, M. Wang, T. Milster, Optical Sciences Center, University of Arizona, Tucson, AZ	157
F1.4	A New Tracking Method for Helical Scanning Optical Tape Recorder, T. Narahara, Y. Kamatani, T. Nakao, S. Kumai, T. Ozue, Sony Corporation, Tokyo, Japan.....	159
 F2: RECORDING TECHNOLOGY II		
F2.1	Noise In Optical Recording, B. Finkelstein, AdStaR, IBM, Tucson, AZ.....	161
F2.2	Comparison of Polarization Readout Techniques for Magneto-Optic Systems, E. Gage, Eastman Kodak Company, Rochester, NY.....	162
F2.3	The Performance of a 600 Mbyte 90 mm Phase Change Optical Disk Against Disk Tilt T. Sugaya, T. Taguchi, K. Shimura, K. Taira, Y. Honguh, H. Satoh, Research and Development Center, Toshiba Corporation, Kawasaki, Japan, T. Kobayashi, N. Nakamura, Information Systems Engineering Laboratory, Toshiba Corporation, Kawasaki, Japan.....	164
F2.4	A Recording Experiment with Rotating Optical Head for Magneto-optical Tape Recording System H. Tokumaru, K. Arai, S. Yoshimura, H. Oshima, NHK Science & Technical Research Laboratories, Tokyo, Japan.....	166
 F3: COMPONENTS II		
F3.1	Newly Packaged 50-μm-spaced 8-element Laser Diode Array with a Thermoelectric Cooler S. Murata, H. Nakada, T. Abe, H. Tanaka, A. Watabe, NTT Interdisciplinary Research Laboratories, Tokyo, Japan	168
F3.2	40mW Operation of InGaAlP Visible-Light Laser Diodes, N. Shimada, H. Matsuura, M. Watanabe, H. Okuda, Toshiba Corporation, Semiconductor Group, Kawasaki, Japan, K. Nitta, M. Okajima, Toshiba Corporation, Research and Development Center, Kawasaki, Japan	170
F3.3	Crosstalk Analysis of GaAlAs Laser Arrays, A. Dewey, W. Lenth, IBM Almaden Research Center, San Jose, CA.....	172
F3.4	Optimum Reflectivity Design of Laser Diode Facets and a Recording Medium for an Integrated Flying Optical Head, H. Ukita, Y. Katagiri, NTT Interdisciplinary Research Laboratories, Tokyo, Japan	174
F3.5	Hybrid Achromatic Objective Lens Design For Optical Data Storage, D. Kubalak, G. Morris, University of Rochester, NY, D. Kay, Eastman Kodak Company, Rochester, NY	176
Author Index.....		178